

PRODUCT SPECIFICATION

PART NUMBER: VTD207

REV. B



A UNIT OF ITX CORPORATION

MODEL NUMBER: DBM20-101

DATE: 3-31-10


BENTON HARBOR, MI U.S.A.
P.O. Box 97
Ph: 269-926-6171
Fax: 269-925-8288

<37 d(B)A	°C	20-80	1.75 kg.
V	A	W	Hz
115	0.17	15	60


NOTES:

1. PRODUCT DIMENSIONS: ALL DIMENSIONS ARE REFERENCE ONLY.
2. TECHNICAL DATA SUBJECT TO CHANGE WITHOUT NOTICE.

PERFORMANCE



DIMENSIONS (mm)



PRODUCT SPECIFICATION

PART NUMBER: VTD208

REV. B

GAST

A UNIT OF **TEK** CORPORATION

MODEL NUMBER: DBM20-801

DATE: 3-31-10


BENTON HARBOR, MI U.S.A.
P.O. Box 97
Ph: 269-926-6171
Fax: 269-925-8288

<37 d(B)A	°C	20-80	1.75 kg.
V	A	W	Hz
230	0.14	15	50


NOTES:

1. PRODUCT DIMENSIONS: ALL DIMENSIONS ARE REFERENCE ONLY.
2. TECHNICAL DATA SUBJECT TO CHANGE WITHOUT NOTICE.

PERFORMANCE



DIMENSIONS (mm)




PRODUCT SPECIFICATION				PART NUMBER: VTD209	REV. A	GAST A UNIT OF DEX CORPORATION BENTON HARBOR, MI U.S.A. P.O. Box 97 Ph: 269-926-6171 Fax: 269-925-8288
				MODEL NUMBER: DBM30B-101	DATE: 4-19-10	
<48 d(B)A	°C	20-80	1.7 kg.			
V	A	W	Hz			
115	0.32	28	60			


NOTES:

1. PRODUCT DIMENSIONS: ALL DIMENSIONS ARE REFERENCE ONLY.
2. TECHNICAL DATA SUBJECT TO CHANGE WITHOUT NOTICE.

PERFORMANCE



DIMENSIONS (mm)




PRODUCT SPECIFICATION				PART NUMBER: VTD211	REV. A	GAST A UNIT OF TEX CORPORATION BENTON HARBOR, MI U.S.A. P.O. Box 97 Ph: 269-926-6171 Fax: 269-925-8288
				MODEL NUMBER: DBM30B-201	DATE: 4-19-10	
<48 d(B)A	°C	20-80	1.7 kg.			
V	A	W	Hz			
12V DC	2.9	30	N/A			


NOTES:





1. PRODUCT DIMENSIONS: ALL DIMENSIONS ARE REFERENCE ONLY.
2. TECHNICAL DATA SUBJECT TO CHANGE WITHOUT NOTICE.

PERFORMANCE



DIMENSIONS (mm)




PRODUCT SPECIFICATION				PART NUMBER: VTD210	REV. A	GAST A UNIT OF DEX CORPORATION BENTON HARBOR, MI U.S.A. P.O. Box 97 Ph: 269-926-6171 Fax: 269-925-8288
				MODEL NUMBER: DBM30B-801	DATE: 4-19-10	
<48 d(B)A	°C	20-80	1.7 kg.			
V	A	W	Hz			
230	0.13	24	50			


NOTES:





1. PRODUCT DIMENSIONS: ALL DIMENSIONS ARE REFERENCE ONLY.
2. TECHNICAL DATA SUBJECT TO CHANGE WITHOUT NOTICE.

PERFORMANCE




DIMENSIONS (mm)





PRODUCT SPECIFICATION				PART NUMBER: VTD185	REV. A	GAST A UNIT OF ICX CORPORATION BENTON HARBOR, MI U.S.A. P.O. Box 97 Ph: 269-926-6171 Fax: 269-925-8288	
				MODEL NUMBER: DBM40-101	DATE: 3-26-10		
<46 d(B)A	°C	20-80	6.1 kg				
V	A	W	Hz				
120	1.1	45	60				





- NOTES:
 1. PRODUCT DIMENSIONS: ALL DIMENSIONS ARE REFERENCE ONLY.
 2. TECHNICAL DATA SUBJECT TO CHANGE WITHOUT NOTICE.

PERFORMANCE




DIMENSIONS (mm)




PRODUCT SPECIFICATION				PART NUMBER: VTD195	REV. B	GAST A UNIT OF ICX CORPORATION BENTON HARBOR, MI U.S.A. P.O. Box 97 Ph: 269-926-6171 Fax: 269-925-8288
				MODEL NUMBER: DBM40-801	DATE: 3-26-10	
<46 d(B)A	°C	20-80	6.1 kg.			
V	A	W	Hz			
230	0.46	43	50			







- NOTES:
 1. PRODUCT DIMENSIONS: ALL DIMENSIONS ARE REFERENCE ONLY.
 2. TECHNICAL DATA SUBJECT TO CHANGE WITHOUT NOTICE.

PERFORMANCE



DIMENSIONS (mm)




PRODUCT SPECIFICATION				PART NUMBER: VTD192	REV. A	 A UNIT OF  CORPORATION	
				MODEL NUMBER: DBM60-101	DATE: 3-26-10	BENTON HARBOR, MI U.S.A. P.O. Box 97 Ph: 269-926-6171 Fax: 269-925-8288	
<47 d(B)A	°C	20-80	7.0 kg.				
V	A	W	Hz				
120	1.7	63	60				



NOTES:

1. PRODUCT DIMENSIONS: ALL DIMENSIONS ARE REFERENCE ONLY.
2. TECHNICAL DATA SUBJECT TO CHANGE WITHOUT NOTICE.





PERFORMANCE



DIMENSIONS (mm)




3 CORE PVC CABEL

PRODUCT SPECIFICATION				PART NUMBER: VTD196	REV. B	GAST A UNIT OF ICX CORPORATION BENTON HARBOR, MI U.S.A. P.O. Box 97 Ph: 269-926-6171 Fax: 269-925-8288
				MODEL NUMBER: DBM60-801	DATE: 3-26-10	
<47 d(B)A	°C	20-80	7.0 kg.			
V	A	W	Hz			
230	0.6	61	50			


NOTES:







1. PRODUCT DIMENSIONS: ALL DIMENSIONS ARE REFERENCE ONLY.
2. TECHNICAL DATA SUBJECT TO CHANGE WITHOUT NOTICE.

PERFORMANCE



DIMENSIONS (mm)




PRODUCT SPECIFICATION				PART NUMBER: VTD187	REV. C	 A UNIT OF  CORPORATION	
				MODEL NUMBER: DBM80-101	DATE: 3-27-10	BENTON HARBOR, MI U.S.A. P.O. Box 97 Ph: 269-926-6171 Fax: 269-925-8288	
<51 d(B)A	°C	20-80	7.1 kg.				
V	A	W	Hz				
120	1.9	83	60				



NOTES:

1. PRODUCT DIMENSIONS: ALL DIMENSIONS ARE REFERENCE ONLY.
2. TECHNICAL DATA SUBJECT TO CHANGE WITHOUT NOTICE.





PERFORMANCE



DIMENSIONS (mm)




3 CORE PVC CABEL

PRODUCT SPECIFICATION				PART NUMBER: VTD197	REV. B	GAST A UNIT OF LEX CORPORATION BENTON HARBOR, MI U.S.A. P.O. Box 97 Ph: 269-926-6171 Fax: 269-925-8288
				MODEL NUMBER: DBM80-801	DATE: 3-27-10	
<51 d(B)A	°C	20-80	7.1 kg.			
V	A	W	Hz			
230	0.89	77	50			

- NOTES:
1. PRODUCT DIMENSIONS: ALL DIMENSIONS ARE REFERENCE ONLY.
 2. TECHNICAL DATA SUBJECT TO CHANGE WITHOUT NOTICE.

PERFORMANCE



DIMENSIONS (mm)

